Patent No. 7,781,545

Request for Cert. of Correction dated October 26, 2010

Attorney Docket No. 5946-091619

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.

7,781,545

Appln. No.: 10/559,965

Inventors

Weickert et al.

Confirmation No. 6544

Issued

August 24, 2010

Title

Process for the Catalytic Polymerization of Olefins,

A Reactor System, Its Use in the Process, The Polyolefins Obtained and Their Use

Examiner

William K. Cheung

Customer No.

28289

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

ATTENTION:

Decision and Certificate of Correction

Branch of the Patent Issue Division

Sir:

In accordance with 35 U.S.C. §255, we attach hereto Form PTO/SB/44 and proof of error and request that a Certificate of Correction be issued in the above-identified patent. The following error appears in the patent as printed:

Column 10, Line 38, Claim 7, "at a temperature of about 850° - 110° C." should read – at a temperature of about 85° - 110° C. –

By

(See the Amendment Accompanying Request for Continued Examination dated May 3, 2010, page 3, Claim 7, line 2.)

The above error is an obvious typographical error made by Applicants. The Commissioner of Patents and Trademarks is hereby authorized to charge the fee of \$100.00 for correction of Applicants' mistake by credit card, the information for which is being submitted concurrently herewith.

Respectfully submitted,

THE WEBB LAW FIRM

I certify that this correspondence is being electronically submitted to the United States Patent and Trademark Office on October 26, 2010.

Mary Jo Sinicrope

(Name of Person Submitting Paper)

Date

Signature

Ann M. Cannoni

Registration No. 35,972 Attorney for Registrants

700 Koppers Building

436 Seventh Avenue Pittsburgh, PA 15219-1818

Telephone: (412) 471-8815 Facsimile: (412) 471-4094 E-mail: webblaw@webblaw.com

29Y1587.DOC

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.

7,781,545

APPLICATION NO.

10/559,965

ISSUE DATE

August 24, 2010

INVENTORS

Weickert et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 38, Claim 7, "at a temperature of about 850° – 110°C." should read – at a temperature of about 85° – 110°C. –

MAILING ADDRESS OF SENDER: The Webb Law Firm

700 Koppers Building 436 Seventh Avenue Pittsburgh, PA 15219

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-2450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select Option 2.

Application No. 10/559,965 Paper Dated: May 3, 2010

In Reply to USPTO Correspondence of April 5, 2010

Attorney Docket No. 5946-091619

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

10/559,965

Confirmation No. 6544

Applicants

: Gunter WEICKERT et al.

Filed

May 11, 2004

Title

PROCESS FOR THE CATALYTIC POLYMERIZATION OF OLEFINS, A REACTOR SYSTEM, ITS USE IN THE

PROCESS, THE POLYOLEFINS OBTAINED AND

THEIR USE

Group Art Unit

: 1796

Examiner

William K. Cheung

Customer No.

28289

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT ACCOMPANYING REQUEST FOR CONTINUED EXAMINATION

In response to the final Office Action dated November 4, 2009 and the Advisory Action dated April 5, 2010, Applicants submit the following amendments and remarks, along with a Request for Continued Examination (RCE) and Petition for a three month extension of time, with requisite fees.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks begin on page 8 of this paper.

I hereby certify that this correspondence is being electronically submitted to the United States Patent and Trademark Office on May 3, 2010

05/03/2010

Date

Signatu

Melissa A. Wyke

Typed Name of Person Signing Certificate

Application No. 10/559,965 Paper Dated: May 3, 2010

In Reply to USPTO Correspondence of April 5, 2010

Attorney Docket No. 5946-091619

polymerization temperature and pressure are above the corresponding critical points of the mixture formed by the olefins, catalyst, hydrogen, optional comonomer and fluidum of inert low boiling hydrocarbon medium and the polymerization temperature is below the melting point of the formed polymerized olefins.

Claim 6 (Original): Process according to claim 5, wherein the inert low boiling hydrocarbon is propane. shoold be 85°-110°C

Claim 7 (Previously Presented): Process according to claim 5, wherein the first polymerization is carried out at a temperature of about 850°-110°C and a pressure of 60-90 bar.

Claim 8 Previously Presented): Process according to claim 1, wherein after the first polymerization at least part of the hydrogen, unreacted reactants and inert low boiling hydrocarbon medium are removed from the reaction mixture.

Claim 9) (Previously Presented): Process according to claim 8, wherein at least part of the hydrogen and the inert low boiling hydrocarbon are removed from the polymerized reaction mixture by flashing.

Claims 10 and 11 (Cancelled).

Claim 12 (Previously Presented): Process according to claim 1, wherein the moving bed is separated from the fluidized bed by a separation fluidum.

Claim 13 (Original): Process according to claim 12, wherein the separation fluidum is supplied to the moving bed.

Claim 14 (Previously Presented): Process according to claim 12, wherein the separation fluidum is a gas or a liquid and selected from the group comprising an inert gas or

PATENT Attorney Docket No. 187284/RFT Client Matter No. 455569-NEW

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Examiner:

TBA

Gunter Weickert

Group Art Unit:

TBA

Int'l Application No.: PCT/EP2004/005076

Express Mail No.: EV 694993265 US

Int'l Filing Date: May 11, 2004

Express Mailing Date: December 6, 2005

For:

Process For The Catalytic Polymerization Of Olefins, A Reactor System, Its Use In The Process, The Polyolefins

Obtained And their Uses

Commissioner for Patents P. O. Box 1450 Alexandria, Virginia 22313-1450

PRELIMINARY AMENDMENT

Sir:

Please amend the above-identified patent application as follows.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks begin on page 7 of this paper.

Amendments to the Claims:

Listing of Claims:

Claim 1 (original): Process for the catalytic polymerization of olefins comprising the steps of;

i) a first polymerization in a first reactor, wherein olefins are polymerized with a particulate catalyst, hydrogen and optional a comonomer in a fluidum of an inert low boiling hydrocarbon medium into an reaction mixture comprising polymerized olefins; and

ii) a second polymerization in a second reactor, wherein the polymerized olefins are further polymerized in a fluidized bed and in a moving bed under such conditions that the residence time in the fluidized bed and the residence time in the moving bed are independently controlled.

Claim 2 (original): Process according to claim 1, wherein the inert low boiling hydrocarbon medium comprises propane, butane, isobutane, pentane, hexane, heptane, octane, cyclohexane or cycloheptane.

Claim 3 (currently amended): Process according to claim 1-or-2, wherein the first polymerization is carried out in a liquid phase.

Claim 4 (currently amended): Process according to any of the claims 1-3 claim 1, wherein the first polymerization is carried out at a temperature of about 75° to 110°C and a pressure of 40-90 bar.

Claim 5 (original): Process according to claim 1, wherein the first polymerization of olefins is carried out under supercritical conditions, wherein the polymerization temperature and pressure are above the corresponding critical points of the mixture formed by the olefins, catalyst, hydrogen, optional comonomer and fluidum of inert low boiling hydrocarbon medium and the polymerization temperature is below the melting point of the formed polymerized olefins.

Claim 6 (original): Process according to claim 5, wherein the inert low boiling hydrocarbon is propane.

Claim 7 (currently amended): Process according to claim 5-or 6, wherein the first polymerization is carried out at a temperature of about 85°-110°C and a pressure of 60-90 bar.